



WINALIGN® LITE

Optimized for speed and efficiency

NEW



Easy and safe wheel
adapters



Capable WinAlign®
Lite software



High durability,
high uptime



Comprehensive
vehicle coverage



QUICKGRIP® WHEEL ADAPTORS & HIGH-DEFINITION TARGETS

Hunter's patented QuickGrip® adaptors and high-definition targets accelerate service with setup times in seconds instead of minutes.



PATENTED

Super fast installation

- ✓ Spring-loaded arms grip the tyre
- ✓ Thumb switch secures the clamp



PATENTED

Revolutionary adaptor design

- ✓ Faster setups
- ✓ No knob twisting



PATENTED

Quick-change hooks

- ✓ Interchangeable arms cover up to 940 mm (37 in.) assemblies



PATENTED

Avoid damage to expensive rims

- ✓ Grips tyre, not rim
- ✓ No metal-to-metal contact



PATENTED

Low maintenance

- ✓ Shop-tough to withstands drops
- ✓ No electronics, cables or necessary calibration



PATENTED

Deep-wheel extension

- ✓ Deep rims or protruding hubs, no problem
- ✓ Standard accessory



PATENTED

Less weight

- ✓ Weighs only 3.3 kg (7.4 lbs.)
- ✓ Nearly 40% lighter



QuickComp™

- ✓ Compensate all wheels and capture initial measurements in one motion



ALIGNMENT MEASUREMENTS IN JUST MINUTES

WinAlign® Lite alignment systems using HawkEye® digital imaging technology offers shops alignment service optimized for speed and efficiency with simple operation and low cost of ownership.

Digital cameras measure the position and orientation of the wheels with pinpoint accuracy using reflective targets.

Select the vehicle

- ✓ Recall specifications



Measure angles

- ✓ Install targets
- ✓ Capture measurements
- ✓ Review "before" results



Make adjustments

- ✓ Follow the adjustment instructions
- ✓ Print before-and-after results

Present your results

- ✓ Sell more alignments
- ✓ Generate greater profits





Camera height is easily adjusted from the side of the unit.

Perform alignments at ANY height

The versatility of the HawkEye® digital imaging technology allows shops to perform alignments on the floor or at any lift height.



PATENTED

Reduce long-term cost of ownership

The reflective wheel targets provide a low cost of ownership and require virtually no maintenance.

- ✓ No electronics at the wheel
- ✓ No cables or batteries
- ✓ No downtime from accidental drops



Save time and effort

POWERFUL SOFTWARE FEATURES INCREASE PRODUCTIVITY

EXCLUSIVE

WinToe® adjustments



Ensure a straight steering wheel every time without repeated adjustments or using a steering wheel holder.



STANDARD

Power tools

Advanced adjustments made easy with built in Power Tools to guide the way for control arms, bushings, shims, and wheel off adjustments.



NEW EXCLUSIVE

Ride Height spec coverage

Easily obtain ride height based alignment specifications for BMWs, Mercedes-Benz, Peugeot, and more with built in calculations plus optional inclinometer tool.



NEW

Front axle only measurement option

Quickly perform basic, front end alignments by only mounting the front axle targets. No rear target mounting required.

Find the right package for every shop

WINALIGN® LITE CONFIGURATIONS*

Sensor options



FEATURED

**CAMERAS WITH
QUICK GRIP ADAPTERS
(HS223)**



**CAMERAS WITH
SELF-CENTERING ADAPTERS
(HS221)**




**CONVENTIONALS WITH
SELF-CENTERING ADAPTERS
(DSP700)**

Camera Sensor Configurations




CABINET MOUNT (CM)

Serves multiple alignment bays and provides a full range of travel for additional lift height.



MANUAL LIFT (ML)

Provides a full range of vertical travel for additional lift height.



FIXED COLUMN (FC)

Suitable for specific alignment height ranges.



WALL MOUNT (WM)

Enable the optimal use of available space.

Options and Accessories



FULLY INTEGRATED ALIGNMENT

Automatically lock and unlock Hunter turnplates and slipplates with integrated aligner.



HANDHELD REMOTE

Save time and effort with remote control around the shop bay.



CODELINK®

Perform steering system resets for supported vehicles.



REMOTE INDICATOR

See adjustments live when working under the vehicle rear.

* Refer to product specification sheets for more details:
AS08243-00 (HS223), 7025-TE (HS221), 6089-TE (DSP700).

TAKE CONTROL OF YOUR EQUIPMENT, NUMBERS, AND PROFITABILITY




Connect your equipment to your business

- ✓ Maximize your shop's performance
- ✓ Simplify customer discussions with selling tools
- ✓ View extensive undercar information
- ✓ Easily download newly released or revised vehicle alignment specifications with WebSpecs®



Your Hunter distributor is ready to help

- ✂ Receive same- or next-day service
- 📞 Get a free quote or on-site demo
- 📅 Register for training courses
- 🔍 General information and questions



Contact your local distributor

hunter.com/en-int/contact



Check out other Hunter literature for more quality products from Hunter Engineering.

Because of continuing technological advances, specifications, models and options are subject to change without notice.

WinAlign is a registered trademarks of Hunter Engineering Company.

HUNTER
Engineering Company

www.hunter.com

11250 Hunter Drive, Bridgeton, MO 63044, USA
Tel: +1-314-731-3020, Fax: +1-314-731-0132
Email: international@hunter.com